

Produkt: 57

Hersteller: 3M DEUTSCHLAND GMBH

Warengruppe: ELEKTRO

Artikelgruppe: KLEBEBAND

Download: 30.04.2026

POLYESTER FILM WITH RUBBER ADHESIVE

Dieses Datenblatt wurde Ihnen von der Firma tewipack Uhl GmbH zur Verfügung gestellt. Die Firma tewipack Uhl GmbH übernimmt keinerlei Verantwortung für die Aktualität und die Richtigkeit der enthaltenen Informationen. Die Eigenschaften der Produkte können sich aufgrund verschiedener Einflüsse wie beispielsweise Zusammensetzung und Zustand des Substrats, Unreinheiten in oder auf dem Substrat, Temperatur und Luftfeuchtigkeit bei der Lagerung und Umgebungsbedingungen während der Anwendung ändern. Bei Verwendung dieses Produkts in Kombination mit anderem Material ist der Kunde dafür verantwortlich, durch eigene Tests zu prüfen, ob das Produkt für die geplante Kombination geeignet ist und ob diese Kombination die erwarteten Ergebnisse liefert



57 Tape

Polyester Film With Rubber Adhesive

Data Sheet

Product Description

3M™ 57 Tape is a 2-mil transparent polyester film with rubber thermosetting adhesive.

- 2-mil transparent polyester film backing
- Rubber adhesive
- Supplied on 3 inch cores

Like all 3M insulating tapes, 3M 57 Tape is available in standard and custom widths and lengths. Standard length is 72 yards.

- Widths from 1/4" to 15.5"
- Longer lengths up to several times normal length, dependent upon width. Check with Customer Service.

Applications

3M 57 Tape is suited for use as a coil cover; layer insulation and capacitor wrap where higher electrical strength is desirable.

Properties

Typical Values

Adhesive	Rubber Thermosetting
Backing	Polyester Film
Backing Thickness ¹	2.0 Mil
Total Thickness	3.3 mils/.083mm
Color	Yellow
Temperature Class	130°C /266°F
Dielectric Breakdown ¹	7000 Volts
Insulation Resistance ¹ (megohms)	>1 x 10 ⁶
Breaking Strength ¹	50 lbs./in. (88 n/10mm)
Elongation ¹ (% at break)	110
Electrolytic Corrosion Factor ²	1.0
Adhesion to Steel ¹	60 oz./in. (6,5 n/10mm)

* Footnote: 1. Test method ASTM D 1000
2. 3M Test Method-Available on request

3M is a trademark of 3M.

Important Notice

All statements, technical information and recommendations related to the Seller's products are based on information believed to be reliable, but the accuracy or completeness thereof is not guaranteed. Before utilizing the product, the user should determine the suitability of the product for its intended use. The user assumes all risks and liability whatsoever in connection with such use.

Any statements or recommendations of the Seller which are not contained in the Seller's current publications shall have no force or effect unless contained in an agreement signed by an authorized officer of the Seller.

The statements contained herein are made in lieu of all warranties, expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose which warranties are hereby expressly disclaimed.

SELLER SHALL NOT BE LIABLE TO THE USER OR ANY OTHER PERSON UNDER ANY LEGAL THEORY, INCLUDING BUT NOT LIMITED TO NEGLIGENCE OR STRICT LIABILITY, FOR ANY INJURY OR FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES SUSTAINED OR INCURRED BY REASON OF THE USE OF ANY OF THE SELLER'S PRODUCTS THAT WERE DEFECTIVE.



Electrical Products Division

6801 River Place Blvd.
Austin, TX 78726-9000
800-676-8381

<http://www.3m.com/elpd>

© 3M 1998
78-8124-4712-2