Technical data sheet



Product: 694

Manufacturer: H.B. FULLER

Product group: **KLEBSTOFF**

PRIMER, HAFTREINIGER, LÖSUNG Article group:

Download: 30.04.2024

HELIMITIN® 694

This data sheet was provided to you by Tewipack Uhl GmbH. The company tewipack Uhl GmbH assumes no responsibility for the topicality and the Accuracy of the information contained. The properties of the products can vary due to various influences such as composition and condition of the Substrate, impurities in or on the substrate, temperature and humidity at the Change storage and environmental conditions during use. Using this product in combination with other material, the customer is responsible for to check through our own tests whether the product is suitable for the planned combination and whether this combination delivers the expected results





TECHNICAL DATA SHEET

Helmitin® 694

Type of Adhesive Solvent mixture.

Product Benefits – strong solvent power

- all-purpose

Typical Applications Thinner and cleaner for polyurethane adhesives, cleaning of various

substrates.

Suitable substrates PUR- and PVC-materials.

Typical Properties

Property	Value
Base	Mixture of organic solvents
Colour	limpid
Density at 20°C	approx. 0,80 g/cm ³
Shelf life	24 months

Last Updated: 1/27/2017





TECHNICAL DATA SHEET

Application Instructions Apply the cleaner by brush or rag and – if necessary – let it work for 5

to 15 minutes.

Wipe the surface, turning over or removing the rag regularly.

Cleaning Instructions Not applicable.

Typical Packaging Please contact your local Sales Office for available packaging options.

Storage Conditions In original sealed packaging protected from sun, dust, moisture and

high temperatures. Clean and dry conditions.

Disposal Advice Please refer to the MSDS for disposal instructions.

Safety Advice Please refer to the MSDS for safety advice.

Our Focus is Clear. Perfecting Adhesives.

IMPORTANT: The information, specifications, procedures and recommendations herein (together "information") are based on our experience and we believe these to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or thatthe information will avoid losses or damages or give desired results. It is purchaser's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.



NOTE TO USER: by ordering/receiving product you accept the H.B. Fuller General Terms and Conditions of Sale applicable in the region. Please request a copy if you have not received these. These Terms and Conditions contain disclaimers of implied warranties (including but not limited to disclaiming warranties for a particular purpose) and limits of liability. All other terms are rejected. In any event, the total aggregate liability of H.B. Fuller for any claim or series of related claims however arising, in contract, tort (including negligence), breach of statutory duty, misrepresentation, strict liability or otherwise, is limited to replacement of affected products or refund of the purchase price for affected products, H.B. Fuller shall not be liable for loss of profit, loss of margin, loss of contract, loss of business, loss of goodwill or any indirect or consequential losses arising out of or in connection with product supply.

H.B. Fuller Company

info-europe@hbfuller.com www.hbfuller.com/ eimea/contact-us