Technical data sheet



Product: NT-8511-P

Manufacturer: TMG SOLUTIONS

Product group: **KLEBEBAND**

Article group: **EINSEITIG**

Download: 10.07.2025

NT-8511-P POLYESTER AND SILICONE TAPE

This data sheet was provided to you by Tewipack Uhl GmbH. The company tewipack Uhl GmbH assumes no responsibility for the topicality and the Accuracy of the information contained. The properties of the products can vary due to various influences such as composition and condition of the Substrate, impurities in or on the substrate, temperature and humidity at the Change storage and environmental conditions during use. Using this product in combination with other material, the customer is responsible for to check through our own tests whether the product is suitable for the planned combination and whether this combination delivers the expected results



NT-8511-P – POLYESTER AND SILICONE TAPE

TECHNICAL DATA SHEET

Temperature resistance 180°C (220°C short time)

Backing thickness 25 microns polyester film

Adhesive thickness 55 microns silicone adhesive

Total Thickness 80 microns

Breaking strength 5.2 kg per cm

Elongation 90%

Adhesion to steel 0.45kg per cm

Dielectric Strength 4300 volts

Product Information

Our recommendations are made in good faith and are based on our experience with these products. Since the conditions of use of these products are beyond our control, this data is given on the express condition and understanding that TMG Solutions, S.L. will not be liable to any person by reason thereof. Nothing herein shall be deemed to be a recommendation to use any product in violation of any existing patent right.