Security data sheet



Product:	9000
Manufacturer:	H.B. FULLER
Product group:	KLEBSTOFF
Article group:	PRIMER,HAFTREINIGER,LÖSUNG
Download:	04.05.2024

SWIFT®PRIME SW-9000

This data sheet was provided to you by Tewipack Uhl GmbH. The company tewipack Uhl GmbH assumes no responsibility for the topicality and the Accuracy of the information contained. The properties of the products can vary due to various influences such as composition and condition of the Substrate, impurities in or on the substrate, temperature and humidity at the Change storage and environmental conditions during use. Using this product in combination with other material, the customer is responsible for to check through our own tests whether the product is suitable for the planned combination and whether this combination delivers the expected results

Tewipack Uhl GmbH Industriestraße 15 D-75382 Althengstett

Telephone: E-Mail: +49(0)7051/9297-0 Fax +49(0)7051/9297-99 www.tewipack.de

info@tewipack.de Website:

Managing director: Alexander Uhl, Michael Uhl HRB 330424 Calw Amtsgericht Stuttgart 85

Bank details: Sparkasse Pforzheim BLZ 666 500 Konto 17 787

Commerzbank Vereinigte Sindelfingen BLZ 603 400 71 Böblingen Konto 8 001 166 003

Volksbank AG BLZ 603 900 00 70 Konto 80 089

Postbank Stuttgart BLZ 600 100 Konto 146 294 708



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version 1.0	Revision Date: 02.04.2022		Number: 000012641	Date of last issue: - Date of first issue: 02.04.2022
SECTION	N 1: Identification of	the s	ubstance/m	ixture and of the company/undertaking
	ict identifier uct name	: 5	Swift®prime S	W-9000
1.2 Releva	ant identified uses of	the sul	ostance or m	ixture and uses advised against
	of the Sub- e/Mixture	: 4	dhesive	
Reco on us	mmended restrictions	: F	or industrial u	ise only.
1.3 Detail	s of the supplier of th	e safet	y data sheet	
Com	bany	: F	I.B. Fuller, Isa	r-Rakoll, S.A.
Addre	ess	F	Estrada Nacio PT-4486-851 351 229 288	Mindelo - Vila do Conde
	il address of person onsible for the SDS	: E	U-MSDS@hl	ofuller.com
1.4 Emerg	gency telephone num	oer		
Emer	gency telephone numb	er :	+44 1235 239	670 (24 hours)
			National Pois hours)	ons Information Centre (NPIC): 01 809 2566 (2

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	-
Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version 1.0	Revision Date: 02.04.2022		S Numl 0000012		Date of last issue: - Date of first issue: 02.04.2022
Haza	rd pictograms	:			
Signa	al word	: [Danger		
Haza	rd statements	ŀ		Causes ser	mable liquid and vapour. rious eye irritation. drowsiness or dizziness.
Preca	autionary statements	F F F	flames a P233 P261 P280	Keep away and other ig Keep conta Avoid brea Wear prote	from heat, hot surfaces, sparks, open inition sources. No smoking. iner tightly closed. thing mist or vapours. ctive gloves/ protective clothing/ eye protec- n/ hearing protection.
		F a F	ately all P370 +	P361 + P35 contamina P378 In c	IF ON SKIN (or hair): Take off immedi- ted clothing. Rinse skin with water. case of fire: Use dry sand, dry chemical or am to extinguish.

Hazardous components which must be listed on the label:

propan-2-ol

titanium tetraisopropanolate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 90 - <= 100
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	
	01-2119457558-25-	(Central nervous	



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version 1.0	Revision Date: 02.04.2022	SDS Number: 100000012641	Date of last issue: - Date of first issue: 02.04.2022	
titaniur	m tetraisopropanolate	0000 546-68-9 208-909-6 01-2119967389 0000	Eye Dam. 1; H318	>= 1 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	If on clothes, remove clothes. Move the victim to fresh air. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of unconsciousness bring patient into stable side position for transport.
In case of skin contact	:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
In case of eye contact	:	Flush eyes with water at least 15 minutes. Get medical atten- tion if eye irritation develops or persists.
If swallowed	:	If accidentally swallowed obtain immediate medical attention. Rinse mouth with water. If conscious, drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	No further relevant information available.
-----------	---	--



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.04.2022	10000012641	Date of first issue: 02.04.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Water mist Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water with a full water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	No further relevant information available.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	No special protective measures against fire required.
Further information	:	In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

fı E	Jse breathing protection against the effects of umes/dust/aerosol. vacuate personnel to safe areas. Ensure adequate ventilation.
---------	---

6.2 Environmental precautions

Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil. Prevent the material from reaching sewage system, holes and cellars. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.04.2022	10000012641	Date of first issue: 02.04.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Non-sparking tools should be used. Ensure adequate ventilation. Send for recovery or disposal in suitable containers. Dispose of contaminated material as waste according to section 13.
-------------------------	---

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advic	e on safe handling	:	Avoid formation of dust and aerosols. Use only with adequate ventilation. Take note of emission threshold. Use solvent-proof equipment. Ensure that suitable extractors are available on processing machines. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep away from children.
	e on protection against nd explosion	:	Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mix- tures in air. Highly volatile, flammable constituents are re- leased during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.
7.2 Condit	ions for safe storage, i	nclu	uding any incompatibilities
	rements for storage and containers	:	Keep dark, cool and dry. Store in cool place.
	er information on stor- onditions	:	Keep containers tightly closed in a dry, cool and well- ventilated place. Store in a cool place. Heat will increase pressure and may lead to the container exploding.
7.3 Specif	ic end use(s)		
Speci	fic use(s)	:	No further relevant information available.



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.04.2022	100000012641	Date of first issue: 02.04.2022

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	OELV - 8 hrs (TWA)	200 ppm	IE OEL
	Further information: Substances which have the capacity to penetrate intac skin when they come in contact with it, and be absorbed into the body			
		OELV - 15 min (STEL)	IE OEL	
	Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body			

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks

The glove material has to be impermeable and resistant to the product/the substance/the preparation.
The exact break through time can be obtained from the protective glove producer and this has to be observed.
The gloves need to be disposed after the penetration time and replaced by new ones.
Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version 1.0	Revision Date: 02.04.2022		6 Number: 000012641	Date of last issue: - Date of first issue: 02.04.2022
		!	gloves made of t	nt contact of a maximum of 15 minutes he following materials are suitable: mum thickness: 0.7 mm; penetration time:
		As protection from splashes gloves made of the fing materials are suitable: Nitril (minimum thickness 0.12 mm), Disposable glove long cuffs		suitable:
		i		the chemical preparation, take the dispos- ff immediately and put on a new disposable
Ski	n and body protection	:	Protective clothing]
Re	spiratory protection		tilation is provided exposures are wit In case of brief ex use breathing filte In case of intensiv ratus that is indep	otection unless adequate local exhaust ven- or exposure assessment demonstrates that hin recommended exposure guidelines. posure or low pollution (exceeding of TLV) r apparatus. re or longer exposure use breathing appa- endent of circulating air. le extractors are available on processing
Pro	tective measures		Instantly remove a Wash hands befor the product. Avoid contact with	ood, drink and animal feedingstuffs. any soiled and impregnated garments. re breaks and immediately after handling the eyes and skin. othing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	is not determined
Melting point/freezing point	:	is not determined



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Vers 1.0	sion	Revision Date: 02.04.2022		S Number: 0000012641	Date of last issue: - Date of first issue: 02.04.2022
	Boiling point/boiling range		:	82 °C	
	Flash point		:	13 °C	
	Auto-ig	nition temperature	:	is not determined	t
	Decom	position temperature	:	not applicable	
	рН		:	is not determined	t
	Solubil Wat	ity(ies) ter solubility	:	not miscible or d	ifficult to mix
	Partition coefficient: n- octanol/water		:	no data available	
	Vapou	r pressure	:	48 hPa (20 °C)	
	Density	ý	:	0,79 g/cm3	
	Relativ	e vapour density	:	is not determined	t
9.2		nformation			
	Explos	ives	:	Product is not ex vapour/air mixtur	plosive. However, formation of explosive es is possible.
	Evapor	ration rate	:	is not determined	ť

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions Hazardous reactions : Develops readily flammable vapours/fumes.				
10.4 Conditions to avoid Conditions to avoid	:	No further relevant information available.		
10.5 Incompatible materials Materials to avoid	:	No further relevant information available.		



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.04.2022	10000012641	Date of first issue: 02.04.2022

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity					
Product:					
Acute oral toxicity	:	Based on available data, the classification criteria are not met.			
Acute inhalation toxicity	:	Based on available data, the classification criteria are not met.			
Acute dermal toxicity	:	Based on available data, the classification criteria are not met.			
Components:					
propan-2-ol:					
Acute oral toxicity	:	LD50 Oral (Rat): 4.396 mg/kg			
11.2 Information on other hazards					
Endocrine disrupting properties					
Product:					

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

Product:



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version 1.0	Revision Date: 02.04.2022	SDS Number: 100000012641	Date of last issue: - Date of first issue: 02.04.2022		
Mobility		bodies or se Toxic effects	il o not allow product to reach ground water, water wage system., Very toxic to aquatic organisms, s on fish and plankton, Danger to drinking water if nely small quantities leak into soil.		
12.5 Resu	Ilts of PBT and vPvB	assessment			
Prod	uct:				
Assessment :		to be either	nce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or ent and very bioaccumulative (vPvB) at levels of ner.		
12.6 Endo	ocrine disrupting pro	perties			
Prod	uct:				
Assessment :		ered to have REACH Arti (EU) 2017/2	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.		
	r adverse effects ata available				
SECTION	N 13: Disposal con	siderations			
13.1 Wast	e treatment method	S			
Product :		Do not dispo Hand over to The generat wherever po Incinerate u local and na	ose of with domestic refuse. ose of waste into sewer. o disposers of hazardous waste. tion of waste should be avoided or minimized ossible. nder controlled conditions in accordance with all tional laws and regulations. ust be made according to official regulations.		
		waste accru Any waste p substances	vaste code numbers are recommendations for ing through the use of adhesives and sealants. produced from organic solvents or other dangerous (according GHS) listed under section 3 of this sheet is itself classified as dangerous (*).		
		Waste accr	Waste accruing during application:		

Waste accruing during application:

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version 1.0	Revision Date: 02.04.2022	SDS Number: 100000012641	Date of last issue: - Date of first issue: 02.04.2022
		08 04 10 those mentior	waste adhesives and sealants other than ned in 08 04 09
		08 04 11* ganic solvent 08 04 12	s or other dangerous substances
		Waste packa 15 01 01 15 01 02 15 01 04 15 01 10* nated by dang	iging: paper and cardboard packaging plastic packaging metallic packaging packaging containing residues of or contami- gerous substances.
Con	aminated packaging	: Disposal mus	t be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1993
RID	:	UN 1993
IMDG	:	UN 1993
ΙΑΤΑ	:	UN 1993
14.2 UN proper shipping name		
ADR	:	FLAMMABLE LIQUID, N.O.S.
RID	:	FLAMMABLE LIQUID, N.O.S.
IMDG	:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)
ΙΑΤΑ	:	Flammable liquid, n.o.s. (ISOPROPANOL)
14.3 Transport hazard class(es)		
ADR	:	3
RID	:	3
IMDG	:	3



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Vers 1.0	sion	Revision Date: 02.04.2022	-	OS Number: 0000012641	Date of last issue: - Date of first issue: 02.04.2022
IATA 14.4 Packing group		:	3		
	ADR RID		:	UN1993 UN1993	
	IMDG Packing Labels EmS C	g group ode	:	ll 3 F-E, <u>S-E</u>	
	IATA (Packing Labels	Cargo) g group	:	ll Flammable Liquic	ls
		P (Passenger) g group	:	II Flammable Liquic	ls
14.5 Environmental hazards					
	ADR Enviror	mentally hazardous	:	no	
	RID Enviror	nmentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		titanium tetraisopropanolate
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	not applicable



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

	Revision Date: 02.04.2022	SDS Number: 100000012641	Date of last issue: - Date of first issue: 02.04.2022			
Regulation (EC) No 1005/2009 on substances that de- : not applicable plete the ozone layer						
Regulation (EU) 2019/1021 on persistent organic pollu- : not applicable tants (recast)						
RoHS: 2011/65/EU, Restriction of Hazardous Substanc- : not applicable es						
Regulation (EC) No 649/2012 of the European Parlia- : not applicable ment and the Council concerning the export and import of dangerous chemicals						
REACH - List of substances subject to authorisation : not applicable (Annex XIV)						
Seveso III: Directive 2012/18/EU of the Europe- P5c FLAMMABLE LIQUIDS an Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
of ma	jor-accident hazards ir					
of ma substa	jor-accident hazards ir	volving dangerous : Directive 2010/7 emissions (integ	75/EU of 24 November 2010 on industrial grated pollution prevention and control) compounds (VOC) content: 98,02 %, 774,			
of ma substa	jor-accident hazards ir ances.	volving dangerous Directive 2010/7 emissions (integ Volatile organic Directive 2010/7	grated pollution prevention and control)			

TSCA		All substances listed as active on the TSCA inventory
IECSC	:	On the inventory, or in compliance with the inventory
CH INV	:	On the inventory, or in compliance with the inventory
REACH	:	On the inventory, or in compliance with the inventory



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.04.2022	100000012641	Date of first issue: 02.04.2022

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226 H318 H319	:	Highly flammable liquid and vapour. Flammable liquid and vapour. Causes serious eye damage. Causes serious eye irritation. May cause drowsiness or dizziness.
Full text of other abbreviation	IS	
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
STOT SE	:	Specific target organ toxicity - single exposure
IE OEL	:	Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	:	Occupational exposure limit value (15-minute reference peri- od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European



according to Regulation (EC) No. 1907/2006

Swift®prime SW-9000

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.04.2022	10000012641	Date of first issue: 02.04.2022

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	:		nly contains information relating to ace any product information or prod-	
Contact Point	:	Prepared by: Global Regulatory Department EU-MSDS@hbfuller.com		
Classification of the mixture:			Classification procedure:	
Flam. Liq. 2	H22	25	Based on product data or assessment	
Eye Irrit. 2	H3 ⁻	19	Calculation method	
STOT SE 3	H33	36	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN