

# Security data sheet



Product: 784/5

Manufacturer: H.B. FULLER

Product group: KLEBSTOFF

Article group: KLEBSTOFF

Download: 12.05.2024

**KÖRAPUR® 784/5**

This data sheet was provided to you by Tewipack Uhl GmbH. The company tewipack Uhl GmbH assumes no responsibility for the topicality and the Accuracy of the information contained. The properties of the products can vary due to various influences such as composition and condition of the Substrate, impurities in or on the substrate, temperature and humidity at the Change storage and environmental conditions during use. Using this product in combination with other material, the customer is responsible for to check through our own tests whether the product is suitable for the planned combination and whether this combination delivers the expected results

Tewipack Uhl GmbH  
Industriestraße 15  
D-75382 Althengstett

Telephone:  
+49(0)7051/9297-0  
Fax:  
+49(0)7051/9297-99

E-Mail:  
info@tewipack.de  
Website:  
www.tewipack.de

Managing director:  
Alexander Uhl,  
Michael Uhl  
HRB 330424  
Amtsgericht  
Stuttgart

Bank details:  
Sparkasse  
Sindelfingen  
Pforzheim  
Calw  
BLZ 666 500  
85  
Konto 17 787

Commerzbank  
Sindelfingen  
BLZ 603 400 71  
Konto 8 001 166

Vereinigte  
Volksbank AG  
Böblingen  
BLZ 603 900 00  
Konto 80 089  
003

Postbank  
Stuttgart  
BLZ 600 100  
70  
Konto 146  
294 708

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : Körapur® 784/5

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-  
stance/Mixture : Adhesive

Recommended restrictions  
on use : For industrial use only.

**1.3 Details of the supplier of the safety data sheet**

Company : H.B. Fuller, Isar-Rakoll, S.A.

Address : Estrada Nacional 13  
PT-4486-851 Mindelo - Vila do Conde  
+351 229 288 200

E-mail address of person  
responsible for the SDS : EU-MSDS@hbfuller.com

**1.4 Emergency telephone number**

Emergency telephone number : In case of poisoning:  
GBK-EMTEL International  
Tel.(24h): +49(0)6132/84463 (all languages)

In case of transport accidents:  
Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 /  
GBK)

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Cat-  
egory 3 H412: Harmful to aquatic life with long lasting ef-  
fects.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Körapur® 784/5

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

#### **Prevention:**

P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.

#### **Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### **Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-ethylhexane-1,3-diol	94-96-2	Eye Dam. 1; H318	>= 1 - < 3

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Körapur® 784/5

Version 2.0	Revision Date: 01.09.2023	SDS Number: 100000007179	Date of last issue: 30.09.2022 Date of first issue: 30.09.2022
----------------	------------------------------	-----------------------------	---

	202-377-9 603-087-00-9 01-2120000832-71-0000		
di-"isononyl" phthalate (Unbranched)	28553-12-0 249-079-5 01-2119430798-28-0000	Aquatic Chronic 4; H413	$\geq 1 - < 2,5$
diethylmethylenediamine	68479-98-1 270-877-4 612-130-00-0 01-2119486805-25-0000	Acute Tox. 4; H302 Acute Tox. 4; H312 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0,25 - < 1$
Substances with a workplace exposure limit :			
calcium carbonate	471-34-1 207-439-9 01-2119486795-18-0000		$\geq 20 - < 30$
Silicon, amorphous	112945-52-5  01-2119379499-16-0000		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                         |   |   |
|-------------------------|---|---|
| General advice          | : | Show this safety data sheet to the doctor in attendance.<br>Symptoms of poisoning may even occur after several hours;<br>therefore medical observation for at least 48 hours after the<br>accident. |
| If inhaled              | : | Remove person to fresh air. If signs/symptoms continue, get<br>medical attention.<br>In case of unconsciousness bring patient into stable side posi-<br>tion for transport.                         |
| In case of skin contact | : | If skin irritation persists, call a physician.  |
| In case of eye contact  | : | Flush eyes with water at least 15 minutes. Get medical atten-<br>tion if eye irritation develops or persists.   |

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

If swallowed : If accidentally swallowed obtain immediate medical attention.  
Rinse mouth with water.  
If conscious, drink plenty of water.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

Risks : Causes serious eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No further relevant information available.

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water mist  
Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : No further relevant information available.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : No special protective measures against fire required.

Further information : In the event of fire, wear self-contained breathing apparatus.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Körapur® 784/5

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

#### 6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.  
Send for recovery or disposal in suitable containers.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Dispose of contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

---

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of dust and aerosols.  
Use only with adequate ventilation.  
Handle with care.  
Keep eye wash bottle available on working place.  
Avoid release to the environment.  
Keep away from children.

Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes.  
Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep dark, cool and dry. Do not freeze.

Further information on storage conditions : Keep container tightly sealed. Store in a cool place. Heat will increase pressure and may lead to the container exploding.

#### 7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Körapur® 784/5

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m <sup>3</sup>	GB EH40
		TWA (Respirable dust)	4 mg/m <sup>3</sup>	GB EH40
Silicon, amorphous	112945-52-5	TWA (inhalable dust)	6 mg/m <sup>3</sup> (Silica)	GB EH40
<p>Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m<sup>-3</sup> 8-hour TWA of inhalable dust or 4 mg.m<sup>-3</sup> 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.</p>				
		TWA (Respirable dust)	2,4 mg/m <sup>3</sup> (Silica)	GB EH40
<p>Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m<sup>-3</sup> 8-hour TWA of inhalable dust or 4 mg.m<sup>-3</sup> 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts</p>				

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Körapur® 784/5

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	01.09.2023	100000007179	30.09.2022
			Date of first issue: 30.09.2022

	<p>have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.</p>			
di-"isononyl" phthalate (Un-branched)	28553-12-0	TWA	5 mg/m <sup>3</sup>	GB EH40

## 8.2 Exposure controls

### Engineering measures

Please take care on national and local requirements.

### Personal protective equipment

Eye protection	: Tightly fitting safety goggles
Hand protection	
Material	: Nitrile rubber
Remarks	: The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Skin and body protection	: Protective clothing
Respiratory protection	: Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Protective measures	: Keep away from food, drink and animal feedingstuffs. Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling the product.



**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

Avoid contact with the eyes and skin.  
Store protective clothing separately.

**Environmental exposure controls**

Air : Suppress (knock down) gases/vapours/mists with a water spray jet.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	: viscous liquid
Colour	: black
Odour	: characteristic
Odour Threshold	: is not determined
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flash point	: > 100 °C
Evaporation rate	: is not determined
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	: Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	: Lower flammability limit is not determined
Vapour pressure	: is not determined
Relative vapour density	: is not determined
Density	: 1,2 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: not miscible or difficult to mix
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: not self-igniting

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Körapur® 784/5

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

---

Decomposition temperature : Not applicable

Explosive properties : Not explosive

#### 9.2 Other information

No data available

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No further relevant information available.

#### 10.2 Chemical stability

No decomposition if used according to the specifications.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

#### 10.4 Conditions to avoid

Conditions to avoid : No further relevant information available.

#### 10.5 Incompatible materials

Materials to avoid : No further relevant information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitisation

##### Skin sensitisation

Based on available data, the classification criteria are not met.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

**Respiratory sensitisation**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**STOT - single exposure**

Based on available data, the classification criteria are not met.

**STOT - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration toxicity**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential****Components:****di-"isononyl" phthalate (Unbranched):**

Partition coefficient: n-octanol/water	:	log Pow: 8,8 - 9,7 (25 °C)
		pH: 4,6
		GLP: no

**12.4 Mobility in soil****Product:**

Mobility	:	Medium: Soil
		Remarks: Do not allow product to reach ground water, water bodies or sewage system.

**12.5 Results of PBT and vPvB assessment****Product:**

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

No data available

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Do not dispose of with domestic refuse.  
Do not dispose of waste into sewer.  
Hand over to disposers of hazardous waste.  
Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.  
The generation of waste should be avoided or minimized wherever possible.  
Incinerate under controlled conditions in accordance with all local and national laws and regulations.  
Disposal must be made according to official regulations.

Contaminated packaging : Disposal must be made according to official regulations.

**SECTION 14: Transport information****14.1 UN number**

Not regulated as a dangerous good

**14.2 UN proper shipping name**

Not regulated as a dangerous good

**14.3 Transport hazard class(es)**

Not regulated as a dangerous good

**14.4 Packing group**

Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75, 3

2-ethylhexane-1,3-diol  
diethylmethylbenzenediamine  
dibutyltin dilaurate  
4-methyl-m-phenylenediamine  
(Number on list 43, 28)

4-methyl-m-phenylenediamine  
(Number on list 43, 28)

REACH - Candidate List of Substances of Very High Concern for Authorisation (SVHC, Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

RoHS: 2011/65/EU, Restriction of Hazardous Substances : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

---

emissions (integrated pollution prevention and control)  
Not applicable

**The components of this product are reported in the following inventories:**

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
REACH	:	On the inventory, or in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

**15.2 Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this mixture.

---

**SECTION 16: Other information****Full text of H-Statements**

H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H318	:	Causes serious eye damage.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.

**Full text of other abbreviations**

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
STOT RE	: Specific target organ toxicity - repeated exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Körapur® 784/5**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2022
2.0	01.09.2023	100000007179	Date of first issue: 30.09.2022

---

**Further information**

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

**Modified data compared to the previous version**

The following sections have been updated:

- Section 3
- Section 8
- Section 11
- Section 12
- Section 15

Contact Point : Prepared by: Global Regulatory Department  
EU-MSDS@hbfuller.com

**Classification of the mixture:**

Eye Irrit. 2	H319
Aquatic Chronic 3	H412

**Classification procedure:**

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN



**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : Köracur® TH 715

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-  
stance/Mixture : Adhesive

Recommended restrictions  
on use : For industrial use only.

**1.3 Details of the supplier of the safety data sheet**

Company : H.B. Fuller, Isar-Rakoll, S.A.

Address : Estrada Nacional 13  
PT-4486-851 Mindelo - Vila do Conde  
+351 229 288 200

E-mail address of person  
responsible for the SDS : EU-MSDS@hbfuller.com

**1.4 Emergency telephone number**

Emergency telephone number : In case of poisoning:  
GBK-EMTEL International  
Tel.(24h): +49(0)6132/84463 (all languages)

In case of transport accidents:  
Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 /  
GBK)

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version 1.0	Revision Date: 01.10.2022	SDS Number: 100000007180	Date of last issue: - Date of first issue: 01.10.2022
----------------	------------------------------	-----------------------------	--

	breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.

## 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements :

#### Prevention:

- P201 Obtain special instructions before use.
- P260 Do not breathe mist or vapours.
- P264 Wash skin thoroughly after handling.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### Response:

- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

#### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, polymeric  
Isocyanic acid, polymethylenepolyphenylene ester, polymer with 1,2-ethanediamine,  
methyloxirane and 1,2-propanediol  
methylenediphenyl diisocyanate  
p-toluenesulphonyl isocyanate  
tosyl chloride

#### Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, polymeric	9016-87-9 618-498-9 615-005-00-9 01-2119457024-46-0000	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Carc. 2; H351	>= 30 - < 50
Isocyanic acid, polymethylenepolyphenylene ester, polymer with 1,2-ethanediamine, methyloxirane and 1,2-propanediol	67815-87-6	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334	>= 1 - < 10

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version 1.0      Revision Date: 01.10.2022      SDS Number: 100000007180      Date of last issue: -  
Date of first issue: 01.10.2022

		Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 (Respiratory Tract)	
methylenediphenyl diisocyanate	26447-40-5 247-714-0 615-005-00-9 01-2120770510-62-0000	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 5 - < 10
p-toluenesulphonyl isocyanate	4083-64-1 223-810-8 615-012-00-7 01-2119980050-47-0000	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 STOT SE 3; H335 (Respiratory system)	>= 1 - < 5
tosyl chloride	98-59-9 202-684-8	Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317	< 0,1
Substances with a workplace exposure limit :			
calcium carbonate	471-34-1 207-439-9 01-2119486795-18-0000		>= 30 - < 50
titanium dioxide (Airborne, unbound particles of respirable size)	13463-67-7 236-675-5 01-2119489379-17-0000	Carc. 2; H351	>= 1 - < 10

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Immediately remove clothing if soiled by product.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

Even minimal concentrations of isocyanate can lead to a reaction in sensitised people.

Symptoms that may occur include the following:  
irritation of the eyes, nose, throat and lungs, possibly together with a dry throat, a feeling of chest tightness and breathing difficulties.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Show this safety data sheet to the doctor in attendance.

- |                         |   |
|-------------------------|---|
| If inhaled              | : Remove person to fresh air. If signs/symptoms continue, get medical attention.<br>In case of unconsciousness bring patient into stable side position for transport.         |
| In case of skin contact | : Treat affected skin with cotton wool or cellulose.<br>Wash off immediately with plenty of water.<br>Use a mild soap if available.<br>If symptoms persist, call a physician. |
| In case of eye contact  | : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.  |
| If swallowed            | : If accidentally swallowed obtain immediate medical attention.<br>Do NOT induce vomiting.<br>If symptoms persist, call a physician.  |

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and special treatment needed**

- |           |   |
|-----------|---|
| Treatment | : In instances of existing sensitisation towards isocyanates, a doctor should be consulted with regards to work-related contact with other sensitising substances, or substances which irritate the airway. |
|-----------|---|

Treatment for exposure should be geared towards monitoring symptoms and the patient's clinical condition.  
It must be ensured that the patient has sufficient ventilation and oxygen supply.

Isocyanates can cause sensitisation of the airways, or asthma-like symptoms (bronchospasms). Delayed breathing symptoms, including lung oedema, may occur.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

People who have shown signs of breathlessness after considerable exposure should remain under observation for 24-48 hours.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Alcohol-resistant foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : Water with a full water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : May release toxic, irritating and/or corrosive gases.  
In case of fire CO, NO<sub>x</sub>, isocyanates and traces of HCN can be formed.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Use breathing protection against the effects of fumes/dust/aerosol.  
Evacuate personnel to safe areas.  
Ensure adequate ventilation.

**6.2 Environmental precautions**

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

---

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Non-sparking tools should be used.  
Ensure adequate ventilation.  
Send for recovery or disposal in suitable containers.  
Dispose of contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapor concentration below the workplace limit, wear an adequate respiratory protective device.  
Take note of emission threshold.  
Avoid formation of aerosol.  
Do not heat the product.  
Ensure that suitable extractors are available on processing machines.  
Handle with care. Avoid inhalation and skin contact.  
Keep eye wash bottle available on working place.  
Avoid release to the environment.  
Keep away from children.

Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes.  
Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep dark, cool and dry. Do not freeze.

Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Dampness : Keep containers dry and tightly closed to avoid moisture absorption and contamination.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

**7.3 Specific end use(s)**

Specific use(s) : No further relevant information available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m <sup>3</sup>	GB EH40
		TWA (Respirable dust)	4 mg/m <sup>3</sup>	GB EH40
Diphenylmethanediisocyanate, polymeric	9016-87-9	TWA	0,02 mg/m <sup>3</sup> (as -NCO)	GB EH40
	<p>Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagens? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered</p>			



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version 1.0	Revision Date: 01.10.2022	SDS Number: 100000007180	Date of last issue: - Date of first issue: 01.10.2022
----------------	------------------------------	-----------------------------	--

	that other substances not in these tables may cause occupational asthma. HSE's asthma web pages ( <a href="http://www.hse.gov.uk/asthma">www.hse.gov.uk/asthma</a> ) provide further information.			
		STEL	0,07 mg/m <sup>3</sup> (as -NCO)	GB EH40
	<p>Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (<a href="http://www.hse.gov.uk/asthma">www.hse.gov.uk/asthma</a>) provide further information.</p>			
		TWA	0,02 mg/m <sup>3</sup> (NCO)	GB EH40
	<p>Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of</p>			

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

	<p>asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (<a href="http://www.hse.gov.uk/asthma">www.hse.gov.uk/asthma</a>) provide further information.</p>			
		STEL	0,07 mg/m3 (NCO)	GB EH40
	<p>Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance.</p>			

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version 1.0	Revision Date: 01.10.2022	SDS Number: 100000007180	Date of last issue: - Date of first issue: 01.10.2022
----------------	------------------------------	-----------------------------	--

	lance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages ( <a href="http://www.hse.gov.uk/asthma">www.hse.gov.uk/asthma</a> ) provide further information.			
methylenediphenyl diisocyanate	26447-40-5	TWA	0,02 mg/m3 (as -NCO)	GB EH40
	Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages ( <a href="http://www.hse.gov.uk/asthma">www.hse.gov.uk/asthma</a> ) provide further information.			
		STEL	0,07 mg/m3 (as -NCO)	GB EH40
	Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-			

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version 1.0      Revision Date: 01.10.2022      SDS Number: 100000007180      Date of last issue: -  
Date of first issue: 01.10.2022

	<p>responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (<a href="http://www.hse.gov.uk/asthma">www.hse.gov.uk/asthma</a>) provide further information.</p>			
		TWA	0,02 mg/m3 (NCO)	GB EH40
	Further information: Capable of causing occupational asthma.			
		STEL	0,07 mg/m3 (NCO)	GB EH40
	Further information: Capable of causing occupational asthma.			
titanium dioxide (Airborne, unbound particles of respirable size)	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
tosyl chloride	98-59-9	STEL	5 mg/m3	GB EH40

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
methylenediphenyl diisocyanate	Workers	Dermal	Acute systemic effects	50 mg/kg
	Workers	Inhalation	Acute systemic effects	0,1 mg/m3
	Workers	Dermal	Local effects	28,7 mg/cm2
	Workers	Inhalation	Local effects	0,1 mg/m3
	Workers	Inhalation	Long-term systemic	0,05 mg/m3

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

			effects	
	Workers	Inhalation	Local effects	0,05 mg/m3

**Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
methylenediphenyl diisocyanate	Fresh water	> 1 mg/l
	Marine water	> 0,1 mg/l
	Soil	> 1 mg/kg
	Sewage treatment plant	> 1 mg/l

**8.2 Exposure controls****Engineering measures**

Please take care on national and local requirements.

**Personal protective equipment**

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks : Direct contact with the isocyanate-based product must be avoided by organizational measures.

The glove material has to be impermeable and resistant to the product/the substance/the preparation.  
The exact break through time can be obtained from the protective glove producer and this has to be observed.  
The gloves need to be disposed after the penetration time and replaced by new ones.  
Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

**For the permanent contact gloves made of the following materials are suitable:**

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

**For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber (minimum thickness: 0.7 mm; penetration time:

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

15 min)

**As protection from splashes gloves made of the following materials are suitable:**

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Skin and body protection : Protective clothing

When carrying out activities where unintentional skin contact with the isocyanate-based product may occur (e.g. during maintenance work, or when opening a barrel), wear long-sleeved protective clothing and gloves.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Filter type : For short term use a combination of charcoal filter and particulate filter is recommended.

Protective measures : Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling the product. Avoid contact with the eyes and skin. Store protective clothing separately. Keep away from food, drink and animal feedingstuffs.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	: liquid
Colour	: beige
Odour	: characteristic

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

Odour Threshold	:	is not determined
pH	:	is not determined
Melting point/freezing point	:	is not determined
Boiling point/boiling range	:	is not determined
Flash point	:	> 100 °C
Evaporation rate	:	is not determined
Relative vapour density	:	is not determined
Density	:	1,6 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	partly soluble, reacts with water
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	is not determined
Decomposition temperature	:	Not applicable
Explosive properties	:	Product is not explosive. However, formation of explosive vapour/air mixtures is possible.

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No further relevant information available.

**10.2 Chemical stability**

No decomposition if used according to the specifications.

**10.3 Possibility of hazardous reactions**

Hazardous reactions	:	Reacts with alcohols, amines, aqueous acids and alkalis. Mixture reacts with water resulting in evolution of CO <sub>2</sub> . Evolution of CO <sub>2</sub> in closed containers causes overpressure and produces a risk of bursting.
---------------------	---	---

**10.4 Conditions to avoid**



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Köracur® TH 715

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

Conditions to avoid : No further relevant information available.

#### 10.5 Incompatible materials

Materials to avoid : No further relevant information available.

#### 10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as:

Nitrogen oxides (NO<sub>x</sub>)

Isocyanates

Additional information: Open and release pressure carefully with pressurised containers.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Based on available data, the classification criteria are not met.

Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: Calculation method

Acute dermal toxicity : Based on available data, the classification criteria are not met.

##### Components:

##### **Diphenylmethanediisocyanate, polymeric:**

Acute inhalation toxicity : LC50 (Rat): 0,49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity estimate: 1,5 mg/l

Test atmosphere: dust/mist

Method: Calculation method

##### **Isocyanic acid, polymethylenepolyphenylene ester, polymer with 1,2-ethanediamine, methyloxirane and 1,2-propanediol:**

Acute inhalation toxicity : LC50 (Rat): 0,49 mg/l

Exposure time: 4 h



**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

---

Test atmosphere: dust/mist

Acute toxicity estimate: 1,5 mg/l  
Test atmosphere: dust/mist  
Method: Calculation method

**methylenediphenyl diisocyanate:**

Acute inhalation toxicity : LC50 (Rat): 0,369 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

**p-toluenesulphonyl isocyanate:**

Acute inhalation toxicity : LC50 (Rat): > 640 ppm  
Exposure time: 1 h  
Test atmosphere: vapour

**Carcinogenicity****Components:****titanium dioxide (Airborne, unbound particles of respirable size):**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

---

**SECTION 12: Ecological information****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil****Product:**

Mobility : Medium: Soil

Remarks: Do not allow product to reach ground water, water bodies or sewage system., Very toxic to aquatic organisms, Toxic effects on fish and plankton, Danger to drinking water if even extremely small quantities leak into soil.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

---

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Do not dispose of with domestic refuse.  
Do not dispose of waste into sewer.  
Hand over to disposers of hazardous waste.  
The generation of waste should be avoided or minimized wherever possible.  
Incinerate under controlled conditions in accordance with all local and national laws and regulations.  
Disposal must be made according to official regulations.

Contaminated packaging : Disposal must be made according to official regulations.

---

**SECTION 14: Transport information****14.1 UN number**

Not regulated as a dangerous good

**14.2 UN proper shipping name**

Not regulated as a dangerous good

**14.3 Transport hazard class(es)**

Not regulated as a dangerous good

**14.4 Packing group**

Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
--	---	---

Diphenylmethanediisocyanate, polymeric (Number on list 74)  
methylenediphenyl diisocyanate

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
---	---	----------------

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
---	---	----------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
---	---	----------------

RoHS: 2011/65/EU, Restriction of Hazardous Substances	:	Not applicable
---	---	----------------

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
--	---	----------------

UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
--	---	----------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable
----------------------------	---	--

**The components of this product are reported in the following inventories:**

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version 1.0	Revision Date: 01.10.2022	SDS Number: 100000007180	Date of last issue: - Date of first issue: 01.10.2022
----------------	------------------------------	-----------------------------	--

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
REACH	: On the inventory, or in compliance with the inventory

**15.2 Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this mixture.

**SECTION 16: Other information****Full text of H-Statements**

H290	: May be corrosive to metals.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	: May cause respiratory irritation.
H351	: Suspected of causing cancer.
H373	: May cause damage to organs through prolonged or repeated exposure.

**Full text of other abbreviations**

Acute Tox.	: Acute toxicity
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

Eye Irrit.	: Eye irritation
Met. Corr.	: Corrosive to metals
Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

**SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

**Köracur® TH 715**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.10.2022	100000007180	Date of first issue: 01.10.2022

---

Contact Point : Prepared by: Global Regulatory Department  
EU-MSDS@hbfuller.com

**Classification of the mixture:**

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 3	H335
STOT RE 2	H373

**Classification procedure:**

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN