



Exceptional Performance



SULZER

COX™ ElectraFlow™ Dual Ultra

Introducing the 2-component family
of battery dispensers



COX™ ElectraFlow™ Dual Ultra 400 MR



Fingertip control for optimal dispensing



2-component twin rack platform



Interchangeable holding straps and plungers




Variable 9-speed dial



2-Component battery powered dispenser for 400mL cartridges.


400 MR

- Weight: 3.8kg / 8.4lbs
- Frame Length: 203mm / 8.0in
- Maximum Thrust: 5.0kN
- Voltage: 18V
- Battery Capacity: 2.0Ah
- Battery Charge Time: 35min (2.0Ah)
- Battery Type: Li-ion
- Handle Material: PC/ABS
- Frame Material: Steel /Aluminum
- Tool Component Approvals: CE, REACH, RoHS
- Cartridge Capacity: 400mL (14oz)
- Cartridge Ratio: 1:1, 2:1, 4:1, 10:1
- Viscosity: Medium/High
- Standard Color: Grey/Black
- Customized versions on demand




Compatible cartridges


MIXPAC™ C-System



MIXPAC™ F-System



MIXPAC™ BlueLine



400mL / 1:1



400mL / 2:1



400mL / 4:1



400mL / 10:1



400mL / 2:1



400mL / 10:1



The 2-component dispenser 400 MR is compatible with alternative cartridges. Please note, fit for purpose of the cartridges strictly requires customer's testing and approval thereof.

Applications



Bonding



Repair




Sealing



Shimming

COX™ ElectraFlow™ Dual Ultra

600 1:1



Fingertip control for optimal dispensing



2-component twin rack platform



Patented cartridge locator ensures universal cartridge fit




Variable 9-speed dial



2-Component battery powered dispenser for 600mL cartridges.


600mL 1:1

- Weight: 3.8kg / 8.4lbs
- Frame Length: 195mm / 7.67in
- Maximum Thrust: 5.0kN
- Voltage: 18V
- Battery Capacity: 2.0Ah
- Battery Charge Time: 35min (2.0Ah)
- Battery Type: Li-ion
- Handle Material: PC/ABS
- Frame Material: Steel /Aluminum
- Tool Component Approvals: CE, REACH, RoHS
- Cartridge Capacity: 600mL (21oz)
- Cartridge Ratio: 1:1
- Viscosity: Medium/High
- Standard Color: Grey/Black
- Customized versions on demand



Compatible cartridges

MIXPAC™ J-System MIXPAC™ ecopaCC™



600mL / 1:1



600mL / 1:1



The 2-component dispenser 600 1:1 is compatible with alternative cartridges. Please note, fit for purpose of the cartridges strictly requires customer's testing and approval thereof.

Applications



Bonding



Chemical Anchoring



Repair



Sealing



Shimming

MIXPAC™ application - a full system approach

The ElectraFlow™ Dual Ultra offers the compatibility with the following MIXPAC™ application systems.




MIXPAC™ C/F-System

The C-System is designed with the traditional threaded outlet while the F-System interface features a twist-lock bayonet ring, for fast opening, closing and coded separate outlets to avoid cross contamination. Dedicated mixing tips are available for enhanced system performances. Cartridges are available in PP, PBT and PA materials. The ElectraFlow Dual Ultra 400mL multi ratio dispenser is compatible with the full range of 400mL cartridge ratios (1:1, 2:1, 4:1, 10:1).



MIXPAC™ BlueLine-System

The BlueLine cartridge system provides a solution for applications that require an increase in flow rate. Ideal for high viscose or shear sensitive materials. No cross contamination thanks to the interface design. The ElectraFlow™ Dual Ultra 400mL can take all BlueLine 400mL cartridges, available in 2:1 and 10:1 mixing ratio. Dedicated BlueLine mixing tips ensure best in class flow rates.




MIXPAC™ J-System

J-System side by side cartridges are widely used and proven in the construction industry. The ElectraFlow™ Dual Ultra 600mL is the perfect match for our 600mL 1:1 ratio J-system cartridge. An extensive range of mixers designed for chemical anchoring and other varying applications is available.



MIXPAC™ ecopaCC™

The collapsible ecopaCC provides a sustainable and high-performing packaging solution reducing plastic waste up to 75% compared to conventional cartridges. ElectraFlow™ Dual Ultra 600mL is designed dispensing the 1:1 600mL ecopaCC. An extensive range of mixers for chemical anchoring and other varying applications is available.



MIXPAC™ mixing tips

Mixpac Quadro™ and Helix mixing tips are manufactured for exact metering and mixing of 2-component materials and are available in various designs and lengths to meet the requirements of specific applications. Minimal pressure loss and precise metering at high dispensing rates are just a few benefits.

COX™ Dispensing

Engineered to provide the best 2-component battery dispensing performance available today. The COX™ ElectraFlow™ Dual Ultra's fully integrated application system features first-in-class cordless technology; powered by the latest 18V lithium-ion batteries utilizing the CoolPack technology from Bosch Professional batteries.

Delivering high material output in a precise and controlled manner.

The ElectraFlow Dual Ultra platform delivers a range of 2-component battery dispensers, designed for dispensing medium to high viscosity sealants and adhesives. The ergonomic design provides the user with a perfectly well balanced tool, for best dispensing performance. The fingertip control features an overload shut-off and anti-drip mechanism preventing material discharge. The electronics and software technology combined with intelligent force management ensures that users have complete control over the output speed of the dispenser.

Designed for the professional and specialist trade user across all industry sectors who demand a reliable and high-performance dispensing tool.

ElectraFlow Dual Ultra includes a 2-year warranty for dispenser, battery and charger.



COX™ ElectraFlow™ Dual Ultra

High performance,
flexibility and controlled speed

Headquarters / Europe

Sulzer Mixpac Ltd
Ruetistrasse 7
9469 Haag
Switzerland
phone +41 81 414 70 00
fax +41 81 414 70 01
mixpac@sulzer.com
www.sulzer.com

**The Americas,
Canada and Mexico**

Sulzer Mixpac USA Inc.
8181 Coleman Road
Haslett, MI 48840
USA
phone +1 800 822 8114
aps_haslett_sales@sulzer.com
www.coxdispensers.com/us

UK and Ireland

Sulzer Mixpac (UK) Ltd.
1 Tealgate, Charnham Park
Hungerford, Berkshire, RG17 0YT
United Kingdom
phone: +44 (0)1488 647 800
coxsales@sulzer.com
www.coxdispensers.com

Asia Pacific

Sulzer Mixpac China
68 Bei Dou Lu, Minhang
Shanghai 200245
China
phone +86 21 6430 68 68
mixpac@sulzer.com
www.sulzer.com

Dispensing Expertise