Security data sheet



Product:	K85
Manufacturer:	BOSTIK SA
Product group:	KLEBSTOFF
Article group:	CYANACRYLAT
Download:	30.07.2025

BOSTIK BORN2BOND ULTRA K85 MV

This data sheet was provided to you by Tewipack Uhl GmbH. The company tewipack Uhl GmbH assumes no responsibility for the topicality and the Accuracy of the information contained. The properties of the products can vary due to various influences such as composition and condition of the Substrate, impurities in or on the substrate, temperature and humidity at the Change storage and environmental conditions during use. Using this product in combination with other material, the customer is responsible for to check through our own tests whether the product is suitable for the planned combination and whether this combination delivers the expected results

Tewipack Uhl GmbH Industriestraße 15 D-75382 Althengstett Fax:

Telephone: E-Mail: +49(0)7051/9297-0 Website: +49(0)7051/9297-99 www.tewipack.de

info@tewipack.de

Managing director: Alexander Uhl, Michael Uhl HRB 330424 Amtsgericht Stuttgart 85

Bank details: Sparkasse Pforzheim Calw BLZ 666 500 Konto 17 787

Commerzbank Sindelfingen BLZ 603 400 71 Konto 8 001 166

Vereinigte Volksbank AG Böblingen BLZ 603 900 00 Konto 80 089 003

Postbank Stuttgart BLZ 600 100 70 Konto 146 294 708



This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY Supercedes Date: 23-Apr-2024

Revision date 06-Jun-2024 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product Name	BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY	
Pure substance/mixture	Mixture	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
Recommended use	This product is a cyanoacrylate-based adhesive	
Uses advised against	None known	
1.3. Details of the supplier of the s	afety data sheet	
Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36		
E-mail address	SDS.box-EU@bostik.com	
1.4. Emergency telephone number		
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the substance	e or mixture	
GB CLP (SI 2020/1567 as amended)	
This mixture is classified as not haza	rdous according to regulation (EC) 1272/2008 [CLP]	
2.2. Label elements		
This mixture is classified as not haza	rdous according to regulation (EC) 1272/2008 [CLP]	
Signal word None		
Hazard statements This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]		

EU Specific Hazard Statements

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

2.3. Other hazards

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY

Supercedes Date: 23-Apr-2024

Polymerises with evolution of heat. Bonds skin and eyes in seconds.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention.	
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.	
Eye contact	If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention.	
Skin contact	Polymerises with evolution of heat. If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Do not remove clothing if adhering to skin.	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Effects of Exposure	No information available.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to doctors	No information available.	

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY

Supercedes Date: 23-Apr-2024

Revision date 06-Jun-2024 Revision Number 1.01

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	No information available.	
5.2. Special hazards arising from the	he substance or mixture	
Specific hazards arising from the chemical	Bonds skin and eyes in seconds.	
Hazardous combustion products	Hydrogen chloride.	
5.3. Advice for firefighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. See section 8 for more information.	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
6.3. Methods and material for containment and cleaning up		
Methods for containment	Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off floor.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	
SECTION 7: Handling and storage		

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. See section 8 for more information.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, including any incompatibilities	
Storage Conditions	Keep from freezing.

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY

Supercedes Date: 23-Apr-2024

Revision date 06-Jun-2024 Revision Number 1.01

Recommended storage temperature	Do not freeze. For optimum shelf life s conditions at 2 - 8°C.	store in original containers under refrigerated
7.3. Specific end use(s)		
Specific use(s) This product is a cyanoacrylate-based adhesive.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	
SECTION 8: Exposure control	ols/personal protection	
8.1. Control parameters		
Exposure Limits	This product, as supplied, does not co exposure limits established by the reg	ontain any hazardous materials with occupational jion specific regulatory bodies
Derived No Effect Level (DNEL)	No information available	
Predicted No Effect Concentration (PNEC)	No information available.	
8.2. Exposure controls		
Engineering controls	Ensure adequate ventilation, especial	ly in confined areas.
Personal protective equipment Eye/face protection Hand protection	Wear safety glasses with side shields (or goggles). Recommended Use:. Nitrile rubber. Glove thickness > 0.4 mm. Latex gloves. Polyethylene. Polypropylene. Glove thickness >= 0.15 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374	
Skin and body protection Respiratory protection	Wear suitable protective clothing. None under normal use conditions.	
Environmental exposure controls	Do not allow uncontrolled discharge of	f product into the environment.
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical a Physical state Appearance Colour Odour	and chemical properties Liquid Liquid Colourless Citrus.	
<u>Property</u> Melting point / freezing point Initial boiling point and boiling range	<u>Values</u> No data available 273 °C	Remarks • Method None known (based on components)
Flammability Flammability Limit in Air Upper flammability or explosive limits	No data available No data available	None known None known
Lower flammability or explosive	No data available	

limits

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY Supercedes Date: 23-Apr-2024

Revision date 06-Jun-2024 Revision Number 1.01

Flash point Autoignition temperature Decomposition temperature pH pH (as aqueous solution) Kinematic viscosity Dynamic viscosity Water solubility Solubility(ies) Partition coefficient Vapour pressure Relative density	132 °C No data available No data available No data available No data available 150 - 250 mPa s Insoluble in water. Acetone Acetonitrile No data available No data available	(based on components) None known None known Insoluble in water. Reacts with water. None known Spindle 52 @ 100 rpm @ 25 °C Polymerisation can occur None known None known None known None known
Bulk Density Liquid Density Relative vapour density Particle characteristics	No data available 0.953 g/ml No data available	None known
Particle Size Particle Size Distribution	No information available No information available	
9.2. Other information Solid content (%) VOC content	No information available No	o data available
9.2.1. Information with regards to physical hazard classes Not applicable		
9.2.2. Other safety characteristics No information available		

SECTION 10: Stability and reactivity

10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical	None.	
impact Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Protect from moisture.	
10.5. Incompatible materials		
Incompatible materials	Alcohols. Alkali. Amines. Water.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.	

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY Supercedes Date: 23-Apr-2024

SECTION 11: Toxicological information		
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008	
Information on likely routes of exp	osure	
Product Information		
Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Specific test data for the substance or mixture is not available. Bonds skin and eyes in seconds.	
Skin contact	Specific test data for the substance or mixture is not available. Bonds skin and eyes in seconds.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical,	chemical and toxicological characteristics	
Symptoms	No information available.	
Acute toxicity		
Numerical measures of toxicity		
The following values are calculate ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapour)	d based on chapter 3.1 of the GHS document >2000 mg/kg >2000 ppm >5 mg/l >20 mg/l	
Delayed and immediate effects as	well as chronic effects from short and long-term exposure	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT - single exposure	Based on available data, the classification criteria are not met.	

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY Supercedes Date: 23-Apr-2024

Revision date 06-Jun-2024 Revision Number 1.01

STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2. Information on other hazard	<u>Is</u>
11.2.1. Endocrine disrupting prop	perties
Endocrine disrupting properties	No information available.
11.2.2. Other information	
Other adverse effects	No information available.
SECTION 12: Ecological infe	ormation
12.1. Toxicity	
Ecotoxicity	
12.2. Persistence and degradabilit	У
Persistence and degradability	No information available.
12.3. Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
<u>12.4. Mobility in soil</u>	
Mobility in soil	No information available.
12.5. Results of PBT and vPvB ass	sessment
PBT and vPvB assessment	UN.
12.6. Endocrine disrupting properties	
Endocrine disrupting properties	No information available.
12.7. Other adverse effects No information available.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY Supercedes Date: 23-Apr-2024

	substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.
SECTION 14: Transport info	rmation
Note:	Keep from freezing. Applies only during air transport.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated - Not regulated Not regulated No
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special precautions for user Special Provisions 14.7 Maritime transport in bulk according to IMO instruments Transport in bulk according to	Not regulated Not regulated Not regulated Not regulated NP None Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Limited quantity (LQ) ERG Code	UN3334 Aviation regulated liquid, n.o.s. (alkyl 2-cyanoacrylate) 9 III UN3334, Aviation regulated liquid, n.o.s. (alkyl 2-cyanoacrylate), 9, III No A27 30 kg G 9A

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY

Supercedes Date: 23-Apr-2024

Revision date 06-Jun-2024 Revision Number 1.01

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and source No information available Prepared By Revision date Indication of changes	ces for data Product Safety & Regulatory Affairs 06-Jun-2024
Revision note	Not applicable.

BOSTIK BORN2BOND ULTRA K85 MEDIUM VISCOSITY Supercedes Date: 23-Apr-2024 Revision date 06-Jun-2024 Revision Number 1.01

Training Advice Further information

No information available No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet